



HANGCHA GROUP CO., LTD.

Factory site: 666 Xiangfu Road, Hangzhou, Zhejiang, China (311305)

Tel: +86-571-88926735 88926755 Fax: +86-571-88926789 88132890

sales@hcforklift.com www.hcforklift.com

HANGCHA GROUP CO., LTD. reserves the right to make any changes without notice concerning colors, equipment, or specifications detailed in this brochure, or to discontinue individual models. The colors of trucks, delivered may differ slightly from those in brochures.









Available on the iPhone App Store Google play

Facebook

Follow us on YouTube

Follow us on WeChat

Download "Hangcha Forklift" App



to the European Safety Requirements

XH SERIES HIGH-VOLTAGE TELEHANDLER

with capacity of 2,500 to 3,500kg

IS045001:2018 IS014001:2015 IS09001:2015

2025 VERSION 5/COPYRIGHT 2025/04

Making Material Handling Easier

XH SERIES HIGH-VOLTAGE TELEHANDLER

25-60

HANGCHA Family-Design exterior, ergonomic cab, intuitive HMI system and premium driving comfort experience.

ANGCHA

HIGH-PERFORMANCE MACHINES IN ANY SITUATION



THREE STEERING MODES:



TWO DRIVING MODES: TWO-WHEEL DRIVE

The first compact telehandler with 310V high-voltage lithium battery in industry, high voltage DC fast-charging technology. Make a charge from 30% to 80% only in 30 minutes.





With permanent magnet synchronous motor (PMSM) technology, can reach top speed: 25 km/h, maximum grade ability: 45%, and industry-leading performance in its class.









The machine is equipped with quick change device, which can realize the quick replacement of different attachments. (Cargo fork, bucket, soft clamp, working platform, etc). This enables various operations including fork loading, shovel loading, clamping, aerial work, etc.

Convenient charging solutions, two charging methods

DC fast-charging port and 10kW built-in charger.

COMFORT

Driver assistance system and easy control

- 1 The cab can be equipped with air conditioning, radio, and USB charging port as option.
- 2 Adjustable suspension seat, more ergonomic.
- I Full-proportional joystick, smooth and coordinated movements, smooth and steady on start and stop, boom luffing and telescoping support compound movements.
- 4 7 inch display, real-time machine status monitoring, integrated intelligent fault diagnosis system.







SAFETY

- Lithium iron phosphate battery pack---high safety & proven reliability.
- The lighting effect is excellent. In addition to high beam and low beam, the front and rear of the cab, and the boom are equipped with LED high-brightness work lights to ensure night scene operations.
- Equipped with a overload sensor system and dynamic monitoring, to prevent overturning and overloading, automatically stopping movement to avoid accidents.

MAINTENANCE

The machine is equipped with a maintenance arm to prevent the risk of accidental fall of the arm frame during maintenance. ■ Wide-angle tilting cover ensures easy maintenance access

E SIGN

25-60





Features

Truck	Standard	Options
Air conditioner		0
Reverse or travel radar sensor		0
Rotating Amber beacon		0
Fire extinguisher in cabin or at rear		0
Full time rear camera		0
Quick exchange fork carriage	•	
Load backrest	•	
Adjustable suspension seat	•	
Flame retardant leather seats	•	
Traction device	•	
Load moment limiter Overload monitoring devise	•	
Left operable window	•	
Horn	•	
Key switch	•	
Wide angle L/R rearview mirrors	•	
Panoramic reversing mirror	•	
Front wiper with water spray function	•	
Rear window wiper	•	
High and low beam headlights	•	
Front and rear work lights	•	
Working light	•	
Reverse light	•	
Windshield protective frame		0
Fire Extinguisher		0
Foam filled tire		0
Quick change heavy Duty Multi-Purpose Bucket		0
Quick change soft bale clamp		0
Quick change crane arm		0
Forklift arm		0
Steering		
Three steering modes		
Adjustable steering column	•	
Hydraulic		
Hydraulic quick coupler		
Tilt cylinder self-locking valve		
Self locking valve for telescopic oil cylinder		
Lifting cylinder self-locking valve		
Lifting cylinder maintenance arm		
Hydraulic Oil Filter		
Hydraulic oil air filter		
Hydraulic oil dipstick		
Power		
2WD and 4WD switch function	•	
Three gears		
Transmission		
Wet brake		
Limited slip differential		
Hydraulic power steering		
Control		
Dual axis proportional control handle	•	
Emergency stop switch	•	
Parking brake		
Safety		
Warning light		
warning nytt		
Doverse alarm		
Reverse alarm		()
Reverse camera		0
Reverse camera Reverse radar		0
Reverse camera Reverse radar		
Reverse camera Reverse radar Accept various attachments		0

Electronics	Standard	Options
Build-in charger	•	
DC fast charging port	•	
Fault self diagnosis function	•	
7-inch color multifunctional display screen	•	
Motor temperature display	•	
Warning lamp for not fastening the seat belt	•	
Water cooling system	•	
Heater	•	
Reading light	•	
Radio	•	
USB charge port	•	

